


Set 2: State-spaces and Uninformed Search

ICS 271 Fall 2012

Problem-Solving Agents

- Intelligent agents can solve problems by searching a state-space
- State-space Model
 - the agent's model of the world
 - usually a set of discrete states
 - e.g., in driving, the states in the model could be towns/cities
- Goal State(s)
 - a goal is defined as a desirable state for an agent
 - there may be many states which satisfy the goal
 - e.g., drive to a town with a ski-resort
 - or just one state which satisfies the goal
 - e.g., drive to Mammoth
- Operators
 - operators are legal actions which the agent can take to move from one state to another

Example: Romania



Example: Romania

- On holiday in Romania; currently in Arad.
- Flight leaves tomorrow from Bucharest
- **Formulate goal:**
 - be in Bucharest
- **Formulate problem:**
 - **states:** various cities
 - **actions:** drive between cities
- **Find solution:**
 - sequence of cities, e.g., Arad, Sibiu, Fagaras, Bucharest

Problem Types

- **Static / Dynamic**

Previous problem was static: no attention to changes in environment

- **Observable / Partially Observable / Unobservable**

Previous problem was observable: it knew its initial state.

- **Deterministic / Stochastic**

Previous problem was deterministic: no new percepts were necessary, we can predict the future perfectly

- **Discrete / continuous**

Previous problem was discrete: we can enumerate all possibilities

State-Space Problem Formulation

A **problem** is defined by four items:

initial state e.g., "at Arad"

actions or **successor function** $S(x)$ = set of action–state pairs

- e.g., $S(\text{Arad}) = \{ \langle \text{Arad} \rightarrow \text{Zerind}, \text{Zerind} \rangle, \dots \}$


goal test, (or goal state)

e.g., $x = \text{"at Bucharest"}$, $\text{Checkmate}(x)$

path cost (additive)

- e.g., sum of distances, number of actions executed, etc.
- $c(x, a, y)$ is the **step cost**, assumed to be ≥ 0

A **solution** is a sequence of actions leading from the initial state to a goal state



State-Space Problem Formulation

- **A statement of a Search problem has 4 components**
 - 1. A set of states
 - 2. A set of “operators” which allow one to get from one state to another
 - 3. A start state S
 - 4. A set of possible goal states, or ways to test for goal states
 - 4a. Cost path
- **A solution consists of**
 - a sequence of operators which transform S into a goal state G
- **Representing real problems in a State-Space search framework**
 - may be many ways to represent states and operators
 - key idea: represent only the relevant aspects of the problem (**abstraction**)

Abstraction/Modeling

Process of removing irrelevant detail to create an abstract representation: “high-level”, ignores irrelevant details

- **Definition of Abstraction:**
- **Navigation Example: how do we define states and operators?**
 - First step is to abstract “the big picture”
 - i.e., solve a map problem
 - nodes = cities, links = freeways/roads (a high-level description)
 - this description is an abstraction of the real problem
 - Can later worry about details like freeway onramps, refueling, etc
- **Abstraction is critical for automated problem solving**
 - must create an approximate, simplified, model of the world for the computer to deal with: real-world is too detailed to model exactly
 - good abstractions retain all important details


Robot block world

- Given a set of blocks in a certain configuration,
- Move the blocks into a goal configuration.
- Example :
 - $(c,b,a) \rightarrow (b,c,a)$



Move (x,y)

Operator Description




The State-Space Graph

- **Problem formulation:**
 - Give an abstract description of states, operators, initial state and goal state.
 - **Graphs:**
 - nodes, arcs, directed arcs, paths
 - **Search graphs:**
 - States are nodes
 - operators are directed arcs
 - solution is a path from start to goal
 - **Problem solving activity:**
 - Generate a part of the search space that contains a solution
- State-space:**
1. A set of states
 2. A set of “operators”
 3. a start state S
 4. A set of possible goal states,
 - 4a. Cost path


The Traveling Salesperson Problem

- Find the shortest tour that visits all cities without visiting any city twice and return to starting point.
- State:
 - sequence of cities visited
- $S_0 = A$



The Traveling Salesperson Problem

- Find the shortest tour that visits all cities without visiting any city twice and return to starting point.
- State: sequence of cities visited
- $S_0 = A$




- **Solution = a complete tour**


Transition model

$$\{a, c, d\} \begin{matrix} \rightrightarrows \\ \rightarrow \\ \rightarrow \end{matrix} \{(a, c, d, x) \mid X \notin a, c, d\}$$

Example: 8-queen problem



Example: 8-Queen



- states? -any arrangement of $n \leq 8$ queens
-or arrangements of $n \leq 8$ queens in leftmost n columns, 1 per column, such that no queen attacks any other.
- initial state? no queens on the board
- actions? -add queen to any empty square
-or add queen to leftmost empty square such that it is not attacked by other queens.
- goal test? 8 queens on the board, none attacked.
- path cost? 1 per move

The Sliding Tile Problem



Figure 8.1

Start and Goal Configurations for the Eight-Puzzle

move(x, loc y, loc z)

Up
Down
Left
Right

The “8-Puzzle” Problem

Start State

1	2	3
4	■	6
7	5	8




1	2	3
4	5	6
7	■	8



1	2	3
4	5	6
7	8	■

Goal State

Example: robotic assembly



- states?: real-valued coordinates of robot joint angles
parts of the object to be assembled
- actions?: continuous motions of robot joints
- goal test?: complete assembly
- path cost?: time to execute



Formulating Problems; Another Angle

- **Problem types**
 - Satisficing: 8-queen
 - Optimizing: Traveling salesperson
- **Object sought**
 - board configuration,
 - sequence of moves
 - A strategy (contingency plan)
- **Satisfying leads to optimizing since “small is quick”**
- For traveling salesperson
 - satisficing easy, optimizing hard
- **Semi-optimizing:**
 - Find a good solution
- **In Russel and Norvig:**
 - single-state, multiple states, contingency plans, exploration problems



Searching the State Space

- States, operators, **control strategies**
- The search space graph is implicit
- The control strategy generates a small search tree.
- Systematic search
 - Do not leave any stone unturned
- Efficiency
 - Do not turn any stone more than once


Tree search example



Tree search example



Tree search example



```
function TREE-SEARCH(problem, strategy) returns a solution, or failure
  initialize the search tree using the initial state of problem
  loop do
    if there are no candidates for expansion then return failure
    choose a leaf node for expansion according to strategy
    if the node contains a goal state then return the corresponding solution
    else expand the node and add the resulting nodes to the search tree
```

State-Space Graph of the 8 Puzzle Problem




Figure 3.6 State space of the 8-puzzle generated by "move blank" operations.

Why Search Can be Difficult

- **At the start of the search, the search algorithm does not know**
 - the size of the tree
 - the shape of the tree
 - the depth of the goal states
- **How big can a search tree be?**
 - say there is a constant branching factor b
 - and one goal exists at depth d
 - search tree which includes a goal can have
 b^d different branches in the tree (worst case)
- **Examples:**
 - $b = 2, d = 10: \quad b^d = 2^{10} = 1024$
 - $b = 10, d = 10: \quad b^d = 10^{10} = 10,000,000,000$


Searching the Search Space

- Uninformed Blind search
 - Breadth-first
 - uniform first
 - depth-first
 - Iterative deepening depth-first
 - Bidirectional
 - Depth-First Branch and Bound
- Informed Heuristic search
 - Greedy search, hill climbing, Heuristics
- Important concepts:
 - Completeness
 - Time complexity
 - Space complexity
 - Quality of solution

Breadth-First Search

- Expand shallowest unexpanded node
- Frontier: nodes waiting in a queue to be explored, also called **OPEN**
- **Implementation:**
 - *frontier* is a first-in-first-out (FIFO) queue, i.e., new successors go at end of the queue.

Is A a goal state?




Breadth-First Search

- Expand shallowest unexpanded node
- **Implementation:**
 - *frontier* is a FIFO queue, i.e., new successors go at end

Expand:
frontier = [B,C]

Is B a goal state?




Breadth-First Search

- Expand shallowest unexpanded node
- **Implementation:**
 - *frontier* is a FIFO queue, i.e., new successors go at end

Expand:
frontier=[C,D,E]

Is C a goal state?




Breadth-First Search

- Expand shallowest unexpanded node
- **Implementation:**
 - *frontier* is a FIFO queue, i.e., new successors go at end

Expand:
frontier=[D,E,F,G]



Is D a goal state?




Tree-Search vs Graph-Search

- **Search-tree(problem)**, returns a solution or failure
- Frontier \leftarrow initial state
- Loop do
 - If frontier is empty return failure
 - Choose a leaf node and remove from frontier
 - If the node is a goal, return the corresponding solution
 - Expand the chosen node, adding its children to the frontier
 - -----
- **Graph-search(problem)**, returns a solution or failure
- Frontier \leftarrow initial state, *explored* \leftarrow empty
- Loop do
 - If frontier is empty return failure
 - Choose a leaf node and remove from frontier
 - If the node is a goal, **return** the corresponding solution.
 - *Add the node to the explored.*
 - Expand the chosen node, adding its children to the frontier, *only if not in frontier of explored set*

Graph-Search



Breadth-First Search




Actually, in BFS we can check if a node is a goal node when it is generated (rather than expanded)

Implementation: States vs. Nodes

- A **state** is a (representation of) a physical configuration
- A **node** is a data structure constituting part of a search tree contains info such as: **state**, **parent node**, **action**, **path cost $g(x)$** , **depth**

- The `Expand` function creates new nodes, filling in the various fields and using the `SuccessorFn` of the problem to create the corresponding states.




Breadth-First-Search (*)

OPEN = frontier, CLOSED = explored

- 1. Put the start node s on OPEN
- 2. If OPEN is empty exit with failure.
- 3. Remove the first node n from OPEN and place it on CLOSED.
- 4. Expand n , generating all its successors.
 - If child is not in CLOSED or OPEN, then
 - If child is not a goal, then put them at the end of OPEN in some order.
- 5. If n is a goal node, exit successfully with the solution obtained by tracing back pointers from n to s .
- Go to step 2.


* This is graph-search

Example: Map Navigation




S = start, G = goal, other nodes = intermediate states, links = legal transitions

Initial BFS Search Tree



Not expanded
By graph-search

Note: this is the search tree at some particular point in the search.




Complexity of Breadth-First Search

- **Time Complexity**


- assume (worst case) that there is 1 goal leaf at the RHS
- so BFS will expand all nodes

$$= 1 + b + b^2 + \dots + b^d$$
$$= \mathbf{O(b^d)}$$



- **Space Complexity**

- how many nodes can be in the queue (worst-case)?
- at depth d there are b^d unexpanded nodes in the Q = $\mathbf{O(b^d)}$




Examples of Time and Memory Requirements for Breadth-First Search

Depth of Solution	Nodes Expanded	Time	Memory
0	1	1 millisecond	100 bytes
2	111	0.1 seconds	11 kbytes
4	11,111	11 seconds	1 megabyte
8	10^8	31 hours	11 giabytes
12	10^{12}	35 years	111 terabytes

Assuming $b=10$, 1000 nodes/sec, 100 bytes/node


Breadth-First Search (BFS) Properties

- Solution Length: optimal
- Expand each node once (can check for duplicates, performs graph-search)
- Search Time: $O(b^d)$
- Memory Required: $O(b^d)$
- Drawback: requires exponential space



Uniform Cost Search

- Expand lowest-cost OPEN node ($g(n)$)
- In BFS $g(n) = \text{depth}(n)$



○ Requirement

- $g(\text{successor}(n)) \geq g(n)$


Uniform cost search

1. Put the start node s on OPEN
2. If OPEN is empty exit with failure.
3. Remove the first node n from OPEN and place it on CLOSED.
4. If n is a goal node, exit successfully with the solution obtained by tracing back pointers from n to s .
5. Otherwise, expand n , generating all its successors attach to them pointers back to n , and put them in OPEN *in order of shortest cost*
6. Go to step 2.

Depth-First Search

- Expand *deepest* unexpanded node
- **Implementation:**
 - *frontier* = Last In First Out (LIPO) queue, i.e., put successors at front

Is A a goal state?




Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[B,C]

Is B a goal state?



Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[D,E,C]

Is D = goal state?




Depth-first search

- Expand deepest unexpanded node
- Implementation:
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[H,I,E,C]

Is H = goal state?




Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[I,E,C]

Is I = goal state?




Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[E,C]

Is E = goal state?




Depth-first search

- Expand deepest unexpanded node
- Implementation:
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[J,K,C]

Is J = goal state?




Depth-first search

- Expand deepest unexpanded node
- Implementation:
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[K,C]

Is K = goal state?




Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[C]

Is C = goal state?




Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[F,G]

Is F = goal state?




Depth-first search

- Expand deepest unexpanded node
- **Implementation:**
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[L,M,G]

Is L = goal state?




Depth-first search


- Expand deepest unexpanded node
- Implementation:
 - *frontier* = LIFO queue, i.e., put successors at front

queue=[M,G]

Is M = goal state?




Depth-First Search (DFS)




Here, (if tree-search) then to avoid repeated states assume we don't expand any child node which appears already in the path from the root S to the parent. (Again, one could use other strategies)

Depth-First Search



Generation of the First Few Nodes in a Depth-First Search



The Graph When the Goal Is Reached in Depth-First Search

Depth-First-Search (*)

1. Put the start node s on OPEN
2. If OPEN is empty exit with failure.
3. Remove the first node n from OPEN.
4. If n is a goal node, exit successfully with the solution obtained by tracing back pointers from n to s .
5. Otherwise, expand n , generating all its successors (check for self-loops) attach to them pointers back to n , and put them at the top of OPEN *in some order*.
6. Go to step 2.

*search the tree search-space (but avoid self-loops)

** the default assumption is that DFS searches the underlying search-tree



Complexity of Depth-First Search?

- Time Complexity
 - assume d is deepest path in the search space
 - assume (worst case) that there is 1 goal leaf at the RHS
 - so DFS will expand all nodes


$$= 1 + b + b^2 + \dots + b^d$$

$$= O(b^d)$$

- Space Complexity (for tree-search)
 - how many nodes can be in the queue (worst-case)?
 - **$O(bd)$ if deepest node at depth d**



Example, Diamond Networks graph-search vs tree-search (BFS vs DFS)



Depth-First tree-search Properties

- Non-optimal solution path
- Incomplete unless there is a depth bound
- (we will assume depth-limited DF-search)
- Re-expansion of nodes (when the search space is a graph)
- Exponential time
- Linear space (for tree-search)

Comparing DFS and BFS

- BFS optimal, DFS is not
- Time Complexity worse-case is the same, but
 - In the worst-case BFS is always better than DFS
 - Sometime, on the average DFS is better if:
 - many goals, no loops and no infinite paths
- BFS is much worse memory-wise
 - DFS can be linear space
 - BFS may store the whole search space.
- In general
 - BFS is better if goal is not deep, if long paths, if many loops, if small search space
 - DFS is better if many goals, not many loops,
 - DFS is much better in terms of memory

Iterative-Deepening Search (DFS)

- Every iteration is a DFS with a depth cutoff.

Iterative deepening (ID)

1. $i = 1$
2. While no solution, do
3. DFS from initial state S_0 with cutoff i
4. If found goal, stop and return solution, else, increment cutoff

Comments:

- IDS implements BFS with DFS
- Only one path in memory
- BFS at step i may need to keep 2^i nodes in OPEN


Iterative deepening search $L=0$

Limit = 0




Iterative deepening search $L=1$

Limit = 1




Iterative deepening search $L=2$

Limit = 2




Iterative Deepening Search $L=3$


Limit = 3



Iterative deepening search




Depth bound = 1



Depth bound = 2



Depth bound = 3



Depth bound = 4

Stages in Iterative-Deepening Search

Iterative Deepening (DFS)

- Time:

$$T(n) = \sum_{j=1}^n \frac{b^{j+1} - 1}{b-1} = \frac{b^{n+2}}{(b-1)^2} = O(b^n)$$

- BFS time is $O(b^n)$, b is the branching degree
- IDS is asymptotically like BFS,
- For $b=10$ $d=5$ $d=\text{cut-off}$
- DFS = $1+10+100,\dots,=111,111$
- IDS = 123,456
- Ratio is $\frac{b}{b-1}$


Summary on IDS

- A useful practical method
 - combines
 - guarantee of finding an optimal solution if one exists (as in BFS)
 - space efficiency, $O(bd)$ of DFS
 - But still has problems with loops like DFS

Bidirectional Search

- Idea
 - simultaneously search forward from S and backwards from G
 - stop when both “meet in the middle”
 - need to keep track of the intersection of 2 open sets of nodes
- What does searching backwards from G mean
 - need a way to specify the predecessors of G
 - this can be difficult,
 - e.g., predecessors of checkmate in chess?
 - what if there are multiple goal states?
 - what if there is only a goal test, no explicit list?
- Complexity
 - time complexity is best: $O(2 b^{(d/2)}) = O(b^{(d/2)})$
 - memory complexity is the same

Bi-Directional Search



Uniform cost search

1. Put the start node s on OPEN
2. If OPEN is empty exit with failure.
3. Remove the first node n from OPEN and place it on CLOSED.
4. If n is a goal node, exit successfully with the solution obtained by tracing back pointers from n to s .
5. Otherwise, expand n , generating all its successors attach to them pointers back to n , and put them in OPEN *in order of shortest cost*
6. Go to step 2.

DFS Branch and Bound

At step 4: compute the cost of the solution found and update the upper bound U .

at step 5: expand n , generating all its successors attach to them pointers back to n , and put on top of OPEN.

Compute cost of partial path to node and prune if larger than U .

Comparison of Algorithms

Criterion	Breadth-First	Uniform-Cost	Depth-First	Depth-Limited	Iterative Deepening	Bidirectional (if applicable)
Time	b^d	b^d	b^m	b^l	b^d	$b^{d/2}$
Space	b^d	b^d	bm	bl	bd	$b^{d/2}$
Optimal?	Yes	Yes	No	No	Yes	Yes
Complete?	Yes	Yes	No	Yes, if $l \geq d$	Yes	Yes

Figure 3.18 Evaluation of search strategies. b is the branching factor; d is the depth of solution; m is the maximum depth of the search tree; l is the depth limit.

Summary

- A review of search
 - a search space consists of states and operators: it is a graph
 - a search tree represents a particular exploration of search space
- There are various strategies for “uninformed search”
 - breadth-first
 - depth-first
 - iterative deepening
 - bidirectional search
 - Uniform cost search
 - Depth-first branch and bound
- Repeated states can lead to infinitely large search trees
 - we looked at methods for detecting repeated states
- All of the search techniques so far are “blind” in that they do not look at how far away the goal may be: next we will look at informed or heuristic search, which directly tries to minimize the distance to the goal. Example we saw: greedy search